

Pydio

Pydio requires a plugin to enable OpenID Connect authentication.

Download and installation

- Download the plugin [here](#).
- Unpack the archive and move `authfront.openid` to the plugin directory of your Pydio server (typically: `/usr/share/pydio/plugins`).
- Ensure the plugin files have the correct permissions :

```
chown -R www-data:www-data authfront.openid/
```

- Open your Pydio admin dashboard, find the plugin under Authentication and enable it

Configuration

- Configure the plugin with the following values:
- OpenID Issuer

```
https://mydomain.trustelem.com/app/3XXXXX
```

- OpenID Jwks

```
{"keys": [{"kty": "RSA", "use": "sig", "kid": "58930", "alg": "RS256", "n": "03DSSaM_B0G70aclJFw-QK6HRL9hkFg2W5HKCGuAHm5wt2tP4FcQ8RMtLZ_WsdeFlUe9VdUGfACCSExq32k4XDR0PA5FJ9sE2pfGXlYyUP2drhqDI1Q754faHPjvkX5niiQkaNFby4HBjvsH6VWU5PfHoHEeT20qemANWnlrfw8-jkMlN1aioWAuWI9L-0tGqUHEbZy_zj3GrZrAN7G73rClAtcgsIfeqkg3y5g2p4qRynS_MMmpuYiGz89Hcrr3lS52tKjHATskkII-eA-_78SB413KVKxRYSK9DjLA-Wm50tt4AN99d6sVUIj0jp-fWSIueE4zy40KrrQR91IYQ", "e": "AQAB"}]}
```

- OpenID Configuration

```
{"issuer": "https://wallix-jflacher.trustelem.com/app/384294", "authorization_endpoint": "https://wallix-jflacher.trustelem.com/app/384294/auth", "token_endpoint": "https://wallix-jflacher.trustelem.com/app/384294/token", "userinfo_endpoint": "https://wallix-jflacher.trustelem.com/app/384294/userinfo", "jwks_uri": "https://wallix-jflacher.trustelem.com/app/384294/jwks", "end_session_endpoint": "https://wallix-jflacher.trustelem.com/app/384294/end_session", "scopes_supported": ["email", "family_name", "give
```

```
n_name","groups","name","openid","organization","phone","profile","uid"],"response_types_supported":["code","code id_token","id_token","id_token token"],"grant_types_supported":["authorization_code","implicit"],"subject_types_supported":["public"],"display_values_supported":["page"],"claims_supported":["sub","iss","auth_time","acr","name","given_name","family_name","profile","email","locale","phone_number"],"ui_locales_supported":["fr-FR","en-GB"],"id_token_signing_alg_values_supported":["RS256"],"token_endpoint_auth_methods_supported":["client_secret_basic","client_secret_post"]}
```

- OpenID ClientID

pydio_client_id

Revision #1

Created 1 July 2022 09:07:40 by WALLIX Admin

Updated 24 November 2023 14:49:26 by WALLIX Admin